APPLICAE	BLE STAND	ARD									
OPERATING TEMPERATURE		RANGE	−55°C TO 85°C	STORAGE TEMPERA	GE RATURE RANGE		-10°C TO 50°C(PACKED CONDITION)				
RATING	VOLTAGE		30V AC	OPERATIN HUMIDITY	IG OR ST RANGE	ORAGE	RELA	TIVE I	E HUMIDITY 90%MAX(NOT DEWED		
			0.3A	APPLICAB	LE CABLE		t=0.2	0±0.	O3mm, GOLD PLATING		
			SP	ECIFICA	ATIONS	S					
IT	ΓEM		TEST METHO	OD				REQU	IREMENTS	QT	АТ
CONSTRU	JCTION				•						
GENERAL EXAMINATION		VISUALL	Y AND BY MEASURING	INSTRUMENT	A	ACCORDING TO DRAWING.				×	×
MARKING		CONFIRMED VISUALLY.				1				×	×
ELECTRIC	CHARAC	TERIST	ICS								
CONTACT RESISTANCE		AC 20mV MAX., 1mA.			II.	100m Ω MAX. INCLUDING FPC BULK RESISTANCE (L=12mm,THICKNESS OF COPPER FOIL:35 μ m)				×	×
INSULATION	RESISTANCE	100V DC.				0MΩ N				×	×
VOLTAGE PR	ROOF	90V AC FOR 1 min.			N	IO FLA	SHOVE	RORE	BREAKDOWN.	×	×
MECHANI	CAL CHAR	ACTER	ISTICS								
FPC INSERTI		MEASURED BY APPLICABLE FPC. (THICKNESS OF FPC SHALL BE t=0.20mm AT INITIAL CONDITION.)			1 - 1	0.15N/PIN MAX. (CONECTOR,FPC AT INITIAL CONDITION)			×	_	
FPC RETENS	SION FORCE	MEASURED BY APPLICABLE FPC. (THICKNESS OF FPC SHALL BE t=0.20mm AT INITIAL CONDITION.)				0.30N/PIN MIN. (CONECTOR,FPC AT INITIAL CONDITION)			×	_	
MECHANICAL OPERATION		10 TIMES INSERTIONS AND EXTRACTIONS.			1 2	<ol> <li>CONTACT RESISTANCE: 100mΩ MAX.</li> <li>NO DAMAGE, CRACK AND LOOSENESS OF PARTS.</li> </ol>			×	_	
VIBRATION		FREQUENCY 10 TO 55 Hz, HALF AMPLITUDE 0.75mm FOR 10 CYCLES IN 3 AXIAL DIRECTIONS.			1 "	① NO ELECTRICAL DISCONTINUITY OF 1 μ s. ② CONTACT RESISTANCE: 100m Ω MAX.			×	_	
ѕноск		981 m/s², DURATION OF PULSE 6ms				③ NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			×	<u> </u>	
ENI/IBON	MENTAL C		ES IN 3 DIRECTIONS.  TERISTICS			UF P	PARTS.				
DAMP HEAT	MENTAL O		) AT 40°C,		[1	) CON	TACT F	RESIST	ANCE: 100m Ω MAX.	l	
(STEADY STA	ATE)	RELATIVE HUMIDITY 90 TO 95%, 96h.			"	<ul> <li>② INSULATION RESISTANCE: 50M Ω MIN.</li> <li>③ NO DAMAGE, CRACK AND LOOSENESS OF PARTS.</li> </ul>			×	_	
DAMP HEAT, CYCLIC		EXPOSED AT -10 TO +65 °C RELATIVE HUMIDITY 90 TO 96 % 10 CYCLES, TOTAL 240h.			(2)	<ol> <li>CONTACT RESISTANCE: 100m Ω MAX.</li> <li>INSULATION RESISTANCE: 1M Ω MIN.         (AT HIGH HUMIDITY)</li> <li>INSULATION RESISTANCE: 50M Ω MIN.         (AT DRY)</li> <li>NO DAMAGE, CRACK AND LOOSENESS         OF PARTS.</li> </ol>			×	_	
	T   P	ESCRIPTI	ON OF REVISIONS		DESIGNI	ED			CHECKED	DA	TE
COUNT				I							
<u></u>						1	ADDDO	VED	DITAVAVACU	07.0	16.00
<u></u>							APPRO CHEC		RI.TAKAYASU TH MURAI		)6.08 )6.08
<u></u>							APPRO CHECI	KED	RI.TAKAYASU TH.MURAI TO.SHIBUYA	07.0	06.08 06.08 06.07
Æ REMARK		fied, refe	er to JIS C 5402.			-	CHEC	KED NED	TH.MURAI	07.0 07.0	6.08
REMARK Unless other	erwise speci	-	er to JIS C 5402.	Test	DR	AWING	CHECK DESIGN DRAW	KED NED	TH.MURAI TO.SHIBUYA	07.0 07.0 07.0	)6.08 )6.07
REMARK Unless other	erwise speci	AT:Assu			DR.		CHECK DESIGN DRAW	KED NED WN	TH.MURAI TO.SHIBUYA WR.YAMADA	07.0 07.0 07.0 - <b>03</b>	)6.08 )6.07

	SPECIFICATIO	NS		
ITEM	TEST METHOD	REQUIREMENTS	QT	АТ
RAPID CHANGE OF TEMPERATURE	TEMPERATURE -55 $\rightarrow$ +15 TO +35 $\rightarrow$ +85 $\rightarrow$ +15 TO +35 °C TIME 30 $\rightarrow$ 2 $\sim$ 3 $\rightarrow$ 30 $\rightarrow$ 2 $\sim$ 3 min UNDER 5 CYCLES.	CONTACT RESISTANCE: 100mΩ MAX.     INSULATION RESISTANCE: 50MΩ MIN.     NO DAMAGE, CRACK AND LOOSENESS OF PARTS.	×	_
DRY HEAT	EXPOSED AT 85°C, 96h.	① CONTACT RESISTANCE: 100mΩ MAX. ② NO DAMAGE, CRACK AND LOOSENESS OF PARTS.		_
COLD	EXPOSED AT -55°C, 96h.			_
CORROSION SALT MIST	EXPOSED AT 35°C, 5% SALT WATER SPRAY FOR 96h.	① CONTACT RESISTANCE: 100mΩ MAX. ② NO DAMAGE, CRACK AND LOOSENESS	×	_
HYDROGEN SULPHIDE [JIS C 0092]	EXPOSED AT 40°C, RELATIVE HUMIDITY 80%, 10 ~ 15 PPM FOR 96h.	OF PARTS.  3 NO EVIDENCE OF CORROSION WHICH	×	_
SURPHUR DIOXIDE [JIS C 0090]	EXPOSED AT 40°C, RELATIVE HUMIDITY 80%, 25 PPM FOR 96h.	AFFECTS TO OPERATION OF CONNECTOR.		_
RESISTANCE TO SOLDERING HEAT	1) REFLOW SOLDERING: PEAK TMP. 250°CMAX. REFLOW TMP. 230°C MIN FOR 60 sec.	NO DEFORMATION OF CASE OF EXCESSIVE LOOSENESS OF THE TERMINALS.	×	_
	2) SOLDERING IRONS: TMP. 350±5°C FOR 5 sec.			
SOLDERABILITY	SOLDERED AT SOLDER TEMPERATURE, 235°C FOR IMMERSION DURATION, 2 sec.	A NEW UNIFORM COATING OF SOLDER SHALL COVER A MINIMUM OF 95 % OF THE SURFACE BEING IMMERSED.	×	_

Note QT:Qu	alification Test AT:Assurance Test X:Applicable Test	DRAWIN	IG NO.	ELC4-153684-03		
HRS	SPECIFICATION SHEET	PART NO.	FH23-51S-0.3SHW(06)			
31.	HIROSE ELECTRIC CO., LTD.	CODE NO	CL586	6-1312-6-06	$\triangle$	2/2