



# Part Number: 9740

Audio/Control/Instrumentation, (1 pr) 18 AWG (16x30) TC, PVC/PVC, CMG

# Request Sample

### **Product Description**

One 18 AWG pair stranded (16x30) tinned copper conductors, PVC insulation, PVC jacket.

## **Technical Specifications**

### **Physical Characteristics (Overall)**

Conductor				
AWG	Stranding	Material	N	o. of Pairs
18	16x30	TC - Tinned Copper	1	
Conductor Count:			2	
Total Number of Pairs:			1	
Conductor Size:			18 AWG	

#### Insulation

Material	Nominal Wall Thickness
PVC - Polyvinyl Chloride	0.013 in

#### Color Chart

Number	Color
1	Black & Red

### Inner Shield Material



### Outer Shield Material



## Outer Jacket Material

Material	Nominal Diameter	Nominal Wall Thickness
PVC - Polyvinyl Chloride	0.21 in	0.032 in

### **Construction and Dimensions**

### Stranding

Lay Direction	Twists
Left Hand	6 twist/ft

## **Electrical Characteristics**

### Conductor DCR

Nominal Conductor DCR 6.86 Ohm/1000ft

#### Capacitance

Nom. Capacitance Conductor to Conductor 25.5 pF/ft

Shielding:	Unshielded
------------	------------

#### Current

Element	Max. Recommended Current [A]
10C Temperature Rise	4.8 ambient Amps per conductor @ 20°C A

### Voltage

UL Voltage Rating 300 V RMS

## **Temperature Range**

UL Temp Rating:	80°C (UL AWM Style 2464)
Operating Temp Range:	-20°C To +80°C

## **Mechanical Characteristics**

Bulk Cable Weight:	22 lbs/1000ft
Max Recommended Pulling Tension:	45 lbs
Min Bend Radius/Minor Axis:	2.25 in

## **Standards**

NEC Articles:	800, 725
NEC/(UL) Specification:	CL3, CMG
CEC/C(UL) Specification:	CMG
UL AWM Style:	UL Style 2464 (300 V 80°C)
CPR Euroclass:	Eca

## **Applicable Environmental and Other Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/96/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU Directive Compliance: EU CE Mark:	EU Directive 2003/11/EC (BFR) Yes
	, ,
EU CE Mark:	Yes
EU CE Mark: EU RoHS Compliance Date (yyyy-mm-dd):	Yes 2005-04-01

## Suitability

Suitability - Indoor:	Yes

## Flammability, LS0H, Toxicity Testing

UL Flammability:	UL1685 FT4 Loading
CSA Flammability:	FT4
UL voltage rating:	300 V RMS

## Plenum/Non-Plenum

Plenum (Y/N):	No
Plenum Number:	89740, 87740, 82740

## **Part Number**

### Variants

Item #	Color	Footnote
9740.00305	Chrome	
9740 0601000	Chrome	С
9740 060500	Chrome	С
9740 0605000	Chrome	
9740 060U1000	Chrome	

Footnote:	C - CRATE REEL PUT-UP.

#### © 2018 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.