

**Series: Ceramic Patch** 

**Antenna** 

### **TECHNICAL DATA SHEET**

Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch

**PART NUMBER: W3230** 



## **Features:**

2400-2500 MHz

Size: 18x18x4mm

Polarization: RHCP

Gain: +6dBic

Pin feed, adhesive tape

RoHS compliant

## **Applications:**

- 2.4-2.5GHz ISM Band radios
- · WiFi, Bluetooth
- Applications requiring high gain directional antenna pattern

All dimensions are in mm / inches

Issue: 1748

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch

**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

Antenna

## **ELECTRICAL SPECIFICATIONS**

Frequency	2400-2500MHz
Nominal Impedance	$50 \Omega$
Return Loss	-4dB
Axial Ratio(typical)	3dB
Peak Gain	6dBic
Efficiency	60%
Polarization	RHCP
Power Withstanding	5W

## **MECHANICAL SPECIFICATIONS**

Overall Length 18x18x4mm
Weight 4.87g

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -40~+105° C
RoHS Compliant Yes

(\*) All RF parameters measured on 70\*70mm metal ground plane in free space.



Description: 2.4-2.5GHz 18x18x4mm Pin


Feed Patch

**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

**Antenna** 

## **MECHANICAL DRAWING**





Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch


**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

**Antenna** 

## **CHARTS**

## Return Loss







Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch


**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

Antenna

## **CHARTS**

## Efficiency(%)







Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch


**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

**Antenna** 

## **CHARTS**

# Peak Gain(dBic)







Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch


**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

**Antenna** 

## **CHARTS**

# Axial Ratio(dB)







Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch


**PART NUMBER: W3230** 

**Series: Ceramic Patch** 

**Antenna** 

## **CHARTS**

## Radiation Pattern





**Series: Ceramic Patch** 

**Antenna** 

### **TECHNICAL DATA SHEET**

Description: 2.4-2.5GHz 18x18x4mm Pin

Feed Patch

**PART NUMBER: W3230** 

### **PACKAGING**

60pcs antennas per tray

15pcs trays per box

Outside box size: 285mm\*375mm\*200mm

900pcs antennas per outside box

According to MSL3 packing requirement, MBB-Moisture Barrel Bag, Desiccant, HIC-Humidity Indicator Card, MSID Label, Caution Label are required.

