

Specification Sheet

Part Number: TAG77T1-101



Article Number

596-00020

Type

TAG77T1

Color

White (WH)

Features & Benefits

- Thermal transfer labels are made with high performance materials for long term industrial applications.
- Labels can be printed in any standard thermal transfer printer giving the user options for printing and eliminating the need to be dedicated to one printer model.
- The labels are available in a wide variety of sizes so that finding a label for a particular application is easy.

Quantity Per

roll

Product Description

Labels are made with various high performance materials including polyester, metalized polyester, clear polyester, cloth, polyimide and the Durattach label stock. The construction includes an aggressive acrylic adhesive and abrasion and chemical resistant top coatings that are made to accept ink from a thermal transfer printer. The product is supplied on rolls on a 3" cardboard core.

Short Description	Thermal Transfer Labels, 3.0" x .937", 1 Across, Paper, White, 2000/roll
Global Part Name	TAG77T1-PAP-WH
Width W (Imperial)	3.0
Width W (Metric)	76.2
Bundle Diameter Min (Imperial)	.33
Bundle Diameter Min (Metric)	8.50
Bundle Diameter Max (Imperial)	0.72
Bundle Diameter Max (Metric)	18.20
Thickness T (Metric)	64.0
Height H (Imperial)	.937
Height H (Metric)	76.2
Width of Liner (Metric)	79.2
Width of Liner (imperial)	3.12
Material	Paper (PAP)
Material Shortcut	PAP

Adhesive	Acrylic
-----------------	---------

Halogen free No

Adhesive Operating Temperature	-40°F to +194°F (-40°C to +90°C)
---------------------------------------	----------------------------------

Operating Temperature (Metric) -65°F to +200°F (-54°C to +93°C)

Reach Complaint(Article 33)	Yes
------------------------------------	-----

ROHS Complaint Yes

Package Quantity(Imperial)	2000
-----------------------------------	------

Package Quantity (Metric) 2000

Customs Number	4821902000
-----------------------	------------

Labels per Row 1

Weight (Metric)	0.68
------------------------	------

Weight (Imperial) 1.48