

Data brief

Microphone coupon board based on the MP23AB01DH fully differential analog MEMS microphone





- 4 x MP23AB01DH bottom port analog MEMS microphones
- Vsupply from 2.3 to 3.6 V
- · 135 dBSPL acoustic overload point
- Omnidirectional sensitivity
- Frequency range 100 Hz 10 kHz
- 65 dB of SNR
- Sensitivity -38 dBFV ± 1 dBV
- THD < 0.2% @ 94 dBSPL, 1 kHz
- THD < 5% @ 130 dBSPL, 1 kHz
- RoHS compliant



Description

The STEVAL-MKI139V5 daughterboard contains four MP23AB01DH analog MEMS microphones.

The coupon concept facilitates performance testing of ST MEMS microphones. It is possible to detach the single PCBs hosting each microphone.

Product summary


High-performance MEMS microphone, fully differential analog bottom-port, omnidirectional, high SNR, compact and low-power MEMS audio sensor

MP23AB01DH



1 Schematic diagrams

Figure 1. STEVAL-MKI139V5 coupon circuit schematic







Figure 2. STEVAL-MKI139V5 example of external electrical connections



DB3252 - Rev 2 page 2/4



Revision history

Table 1. Document revision history

Date	Version	Changes
12-May-2017	1	Initial release.
07-May-2018	2	Added logo in cover page, updated Section • Features, added Section • Product summary table

DB3252 - Rev 2 page 3/4



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved

DB3252 - Rev 2 page 4/4