maxim integrated...



maxim integrate

Maxim Integrated

DS1621S

Part Number:

Manufacturer/Brand:

Product description

RoHs Status Stock Condition

Ship From Shipment Way

Datasheets:

DS1621S

Maxim Integrated

SENSOR DIGITAL -55C-125C 8SOIC

DS1621S.pdf

Contains lead / RoHS non-compliant 5624 pcs stock

Hong Kong

DHL/Fedex/TNT/UPS/EMS

REQUEST FOR QUOTATION

Image may be representation. See specifications for product details.

PART NUMBER DS1621S MANUFACTURER Maxim Integrated DESCRIPTION SENSOR DIGITAL -55C-125C 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compilant QUANTITY AVAILABLE DATA SHEET DS1621S.pdf VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGING TUBE PACKAGING TUBE PACKAGING TUBE PACKAGING TUBE MOUNTING TYPE DIGITAL -55°C ~ 125°C 1 (0.154°, 3.90mm Width) ULEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compilant FEATURES One-Shot, Output Switch, Standby Mode DETAILED DESCRIPTION Temperature Sensor Digital, Local -55°C ~ 125°C 8 b 8-SOIC		Specifications of DS1621S
MANUFACTURER DESCRIPTION SENSOR DIGITAL -55C-125C 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant QUANTITY AVAILABLE 5624 pcs DATA SHEET CONTINUE STATUS CONTINUE STATUS DATA SHEET VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL 75°C ~ 125°C RESOLUTION 8 b PACKAGING TUBE PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE 1°C OPERATING TEMPERATURE MOUNTING TYPE SUFface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS CONTAINS SENSIC, Standby Mode		Specifications of DS10215
DESCRIPTION SENSOR DIGITAL -55C-125C 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant OUANTITY AVAILABLE 5624 pcs DATA SHEET DATA SHEET OUTGO DS162IS.pdf VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154°, 3.90mm Width) OUTPUT TYPE 1°C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE SURface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS One-Shot, Output Switch, Standby Mode	PART NUMBER	DS1621S
Contains lead / RoHS non-compliant QUANTITY AVAILABLE 5624 pcs DATA SHEET DS1621S.pdf VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154°, 3.90mm Width) OUTPUT TYPE 1°C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) I (Unlimited) LEAD FREE STATUS / ROHS STATUS One-Shot, Output Switch, Standby Mode	MANUFACTURER	Maxim Integrated
QUANTITY AVAILABLE DATA SHEET DATA SHEET DS1621S.pdf VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL 7-55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE SUFFACE Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	DESCRIPTION	SENSOR DIGITAL -55C-125C 8SOIC
DATA SHEET DS1621S.pdf VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE 1°C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compilant FEATURES One-Shot, Output Switch, Standby Mode	LEAD FREE STATUS / ROHS STATUS	Contains lead / RoHS non-compliant
VOLTAGE - SUPPLY 2.7 V ~ 5.5 V TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE 1°C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS One-Shot, Output Switch, Standby Mode	QUANTITY AVAILABLE	5624 pcs
TEST CONDITION 0°C ~ 70°C (-55°C ~ 125°C) SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE 12°C OPERATING TEMPERATURE - 55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	DATA SHEET	DS1621S.pdf
SUPPLIER DEVICE PACKAGE SERIES - SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	VOLTAGE - SUPPLY	2.7 V ~ 5.5 V
SERIES SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	TEST CONDITION	0°C ~ 70°C (-55°C ~ 125°C)
SENSOR TYPE Digital, Local SENSING TEMPERATURE - REMOTE - SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	SUPPLIER DEVICE PACKAGE	8-SOIC
SENSING TEMPERATURE - REMOTE SENSING TEMPERATURE - LOCAL -55°C ~ 125°C RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	SERIES	-
SENSING TEMPERATURE - LOCAL RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Cone-Shot, Output Switch, Standby Mode	SENSOR TYPE	Digital, Local
RESOLUTION 8 b PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	SENSING TEMPERATURE - REMOTE	-
PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE I²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	SENSING TEMPERATURE - LOCAL	-55°C ~ 125°C
PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) 0UTPUT TYPE 1²C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	RESOLUTION	8 b
OUTPUT TYPE I ² C OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	PACKAGING	Tube
OPERATING TEMPERATURE -55°C ~ 125°C MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	PACKAGE / CASE	8-SOIC (0.154", 3.90mm Width)
MOUNTING TYPE Surface Mount 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	OUTPUT TYPE	I ² C
MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	OPERATING TEMPERATURE	-55°C ~ 125°C
LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FEATURES One-Shot, Output Switch, Standby Mode	MOUNTING TYPE	Surface Mount
FEATURES One-Shot, Output Switch, Standby Mode	MOISTURE SENSITIVITY LEVEL (MSL)	1 (Unlimited)
	LEAD FREE STATUS / ROHS STATUS	Contains lead / RoHS non-compliant
DETAILED DESCRIPTION Temperature Sensor Digital, Local -55°C ~ 125°C 8 b 8-SOIC	FEATURES	One-Shot, Output Switch, Standby Mode
	DETAILED DESCRIPTION	Temperature Sensor Digital, Local -55°C ~ 125°C 8 b 8-SOIC
ACCURACY - HIGHEST (LOWEST) ±0.5°C (±2°C)	ACCURACY - HIGHEST (LOWEST)	±0.5°C (±2°C)

Related Tags

Maxim Integrated DS1621S	DS1621S Distributor	DS1621S Supplier
DS1621S Price	DS1621S Pictures	DS1621S Image
DS1621S PDF Datasheet	DS1621S Download Datasheet	DS1621S Datasheet
DS1621S Stock	Buy DS1621S	Buy Maxim Integrated DS1621S
Maxim Integrated DS1621S	Maxim Integrated Supplier	Maxim Integrated Distributor
Maxim Integrated DS1621S		

Related Products



Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SOIC In stock: 18067 pcs

RFQ

DS1621S+T&R

maxim integrated...

Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SOIC In stock: 43823 pcs

RFQ

DS1621V



DS1621S+

Manufacturers: Maxim Integrated Description: SENSOR DIGITAL -55C-125C 8SOIC

In stock: 35746 pcs

RFQ

maxim integrated...

DS1620S-D1/T&R Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SO In stock: 7017 pcs

RFQ



DS1620S-D1 Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SO

In stock: 4885 pcs

RFQ



DS1620S/T&R

Manufacturers: Maxim Integrated Description: SENSOR DIGITAL -55C-125C 8SO

In stock: 5751 pcs

RFQ



DS1621S/T&R Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SOIC

In stock: 2868 pcs

RFQ

maxim integrated...

DS1620S+T&R Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8SO In stock: 25338 pcs

RFQ



Manufacturers: Maxim Integrated Description: SENSOR DIGITAL -55C-125C 8DIP

DS1621+

In stock: 25671 pcs

RFQ

maxim integrated...

DS1621 Manufacturers: Maxim Integrated

Description: SENSOR DIGITAL -55C-125C 8DIP In stock: 7080 pcs

RFQ



Manufacturers: Maxim Integrated Description: SENSOR DIGITAL -55C-125C 8SOIC

DS1621V+T&R

In stock: 43039 pcs

RFQ



Manufacturers: Maxim Integrated

DS1621V+

Description: SENSOR DIGITAL -55C-125C 8SOIC In stock: 29278 pcs

RFQ

E-mail: Info@infinity-electronic.com Address: 17F, Gaylord Commercial Building, 114-118 Lockhart Road, Wan Chai, Hong Kong

Copyright © 2020 Reliable Distributor of Electronic Components













