

N/A Image may be representation. See specifications for product details.

SN74HC42N

Part Number:

Manufacturer/Brand:

Product description

Datasheets:

RoHs Status Stock Condition

Ship From Shipment Way SN74HC42N

N/A

IC 4-TO-10 DECOD 1 OF 10 16-DIP

Lead free / RoHS Compliant

103460 pcs stock Hong Kong

DHL/Fedex/TNT/UPS/EMS

REQUEST FOR QUOTATION

PART NUMBER MANUFACTURER N/A DESCRIPTION IC 4-TO-10 DECOD 1 OF 10 16-DIP LEAD FREE STATUS / ROHS STATUS QUANTITY AVAILABLE DATA SHEET VOLTAGE SUPPLY SOURCE Single Supply VOLTAGE - SUPPLY SOURCE SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGEN PACKAGE / CASE 16-DIP (0.300", 7.62mm) OFERATING TEMPERATURE A-0°C ~ 85°C MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION DECOMET 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW CIRCUIT 1 x 4:20 BASE PART NUMBER		Specifications of SN74HC42N
DESCRIPTION LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant QUANTITY AVAILABLE 103460 pcs DATA SHEET VOLTAGE SUPPLY SOURCE Single Supply VOLTAGE - SUPPLY TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES SN74HC42NE4-ND OPERATING TEMPERATURE 40°C 85°C MOUNTING TYPE Through Hole MOISTIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	PART NUMBER	SN74HC42N
Lead free / RoHS Compliant QUANTITY AVAILABLE DATA SHEET VOLTAGE SUPPLY SOURCE Single Supply VOLTAGE - SUPPLY 2 V ~ 6 V TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGING TUBE OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	MANUFACTURER	N/A
QUANTITY AVAILABLE DATA SHEET VOLTAGE SUPPLY SOURCE Single Supply VOLTAGE - SUPPLY 2 V ~ 6 V TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES 296-8332-5 SN74HC42NE4 SN74HC42NE4 NOUNTING TEMPERATURE 40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEAd free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	DESCRIPTION	IC 4-TO-10 DECOD 1 OF 10 16-DIP
DATA SHEET VOLTAGE SUPPLY SOURCE Single Supply VOLTAGE - SUPPLY 2 V ~ 6 V TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES OTHER NAMES OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEAd free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
VOLTAGE SUPPLY SOURCE VOLTAGE - SUPPLY 2 V ~ 6 V TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES OTHER NAMES OTHER NAMES OPERATING TEMPERATURE *40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	QUANTITY AVAILABLE	103460 pcs
VOLTAGE - SUPPLY TYPE Decoder SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES OTHER NAMES OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	DATA SHEET	
TYPE SUPPLIER DEVICE PACKAGE 16-PDIP SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES 296-8332-5 SN74HC42NE4-ND OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEAD free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	VOLTAGE SUPPLY SOURCE	Single Supply
SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES 296-8332-5 SN74HC42NE4 SN74HC42NE	VOLTAGE - SUPPLY	2 V ~ 6 V
SERIES 74HC PACKAGING Tube PACKAGE / CASE 16-DIP (0.300", 7.62mm) OTHER NAMES 296-8332-5 SN74HC42NE4 SN74HC42NE4-ND OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	TYPE	Decoder
PACKAGING PACKAGE / CASE 16-DIP (0.300", 7.62mm) 296-8332-5 SN74HC42NE4 SN74HC42NE4-ND OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 1 x 4:10	SUPPLIER DEVICE PACKAGE	16-PDIP
PACKAGE / CASE 16-DIP (0.300", 7.62mm) 296-8332-5 SN74HC42NE4 SN74HC42NE4 SN74HC42NE4-ND OPERATING TEMPERATURE -40°C ~ 85°C MOUNTING TYPE Through Hole MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT	SERIES	74HC
OTHER NAMES \$296-8332-5 \$N74HC42NE4 \$N74H	PACKAGING	Tube
OTHER NAMES SN74HC42NE4 SS°C MOUNTING TYPE MOUNTING MOUNTING TYPE MOUNTING MO	PACKAGE / CASE	16-DIP (0.300", 7.62mm)
MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	OTHER NAMES	SN74HC42NE4
MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant INDEPENDENT CIRCUITS 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	OPERATING TEMPERATURE	-40°C ~ 85°C
LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant 1 DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	MOUNTING TYPE	Through Hole
INDEPENDENT CIRCUITS DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	MOISTURE SENSITIVITY LEVEL (MSL)	1 (Unlimited)
DETAILED DESCRIPTION Decoder 1 x 4:10 16-PDIP CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
CURRENT - OUTPUT HIGH, LOW 5.2mA, 5.2mA CIRCUIT 1 x 4:10	INDEPENDENT CIRCUITS	1
CIRCUIT 1 x 4:10	DETAILED DESCRIPTION	Decoder 1 x 4:10 16-PDIP
	CURRENT - OUTPUT HIGH, LOW	5.2mA, 5.2mA
BASE PART NUMBER 74HC42	CIRCUIT	1 x 4:10
	BASE PART NUMBER	74HC42

Related Tags

SN74HC42N	Supplier	Distributor
SN74HC42N Stock	Buy SN74HC42N	Buy SN74HC42N
SN74HC42N PDF Datasheet	SN74HC42N Download Datasheet	SN74HC42N Datasheet
SN74HC42N Price	SN74HC42N Pictures	SN74HC42N Image
SN74HC42N	SN74HC42N Distributor	SN74HC42N Supplier

Related Products

