



	Specifications of CD74HC4052E
PART NUMBER	CD74HC4052E
MANUFACTURER	N/A
DESCRIPTION	IC MUX/DEMUX DUAL 4X1 16DIP
LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
QUANTITY AVAILABLE	128932 pcs
DATA SHEET	
VOLTAGE - SUPPLY, SINGLE (V+)	2 V ~ 6 V
VOLTAGE - SUPPLY, DUAL (V±)	±1 V ~ 5 V
SWITCH TIME (TON, TOFF) (MAX)	-
SWITCH CIRCUIT	SP4T
SUPPLIER DEVICE PACKAGE	16-PDIP
SERIES	-
PACKAGING	Tube
PACKAGE / CASE	16-DIP (0.300", 7.62mm)
OTHER NAMES	296-9217-5
OPERATING TEMPERATURE	-55°C ~ 125°C (TA)
ON-STATE RESISTANCE (MAX)	130 Ohm
NUMBER OF CIRCUITS	2
MULTIPLEXER/DEMULTIPLEXER CIRCUIT	4:1
MOISTURE SENSITIVITY LEVEL (MSL)	1 (Unlimited)
LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
DETAILED DESCRIPTION	2 Circuit IC Switch 4:1 130 Ohm 16-PDIP
CURRENT - LEAKAGE (IS(OFF)) (MAX)	200nA
CROSSTALK	-
CHARGE INJECTION	-
CHANNEL-TO-CHANNEL MATCHING (ΔRON)	5 Ohm
CHANNEL CAPACITANCE (CS(OFF), CD(OFF))	12pF
BASE PART NUMBER	74HC4052
-3DB BANDWIDTH	185MHz

Related Tags

CD74HC4052E Price	CD74HC4052E Pictures	CD74HC4052E Image
CD74HC4052E PDF Datasheet	CD74HC4052E Download Datasheet	CD74HC4052E Datasheet
CD74HC4052E Stock	Buy CD74HC4052E	Buy CD74HC4052E
CD74HC4052E	Supplier	Distributor

Related Products



RFQ