

N/A Image may be representation. See specifications for product details.

RFQ

MSP430G2433IPW20R

Part Number:

Manufacturer/Brand:

Product description

RoHs Status Stock Condition

Datasheets:

Ship From Shipment Way MSP430G2433IPW20R

IC MCU 16BIT 8KB FLASH 20TSSOP

Lead free / RoHS Compliant 116173 pcs stock

Hong Kong

DHL/Fedex/TNT/UPS/EMS


REQUEST FOR QUOTATION

PART NUMBER MSP430G2433IPW20R MANUFACTURER NVA DESCRIPTION TC MCU 16BIT 8KB FLASH 20TSSOP LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compilant QUANTITY AVAILABLE 16173 pcs DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x B PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY TYPE BKG (8K x 8) PERTPHERALS BROWN-out Detect/Reset, PWH, WDT PACKAGING Tope 8. Reel (TR) PACKAGING TOPE 1. Allow Width) OSCILLATOR TYPE Internal OPERATING THEMPERATURE -10°C x 85°C (TA) NUMBER OF I/O MOSTURE SENSITUTY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compilant EEPROM SIZE - DETAILED DESCRIPTION MSP430G2xx Microcontroller IC 16-BR 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE PROCESSOR MSP430 CONNECTIVITY PC INSURANCE SIZE IN BRASED SIZE SIZE SIZE SIZE SIZE SIZE SIZE SIZE		Specifications of MSP430G2433IPW20R
MANUFACTURER DESCRIPTION IC MCU 16BIT 8KB FLASH 20TSSOP LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant QUANTITY AVAILABLE 116173 pcs DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TIR) PACKAGING Tape & Reel (TIR) PACKAGING THER NAMES OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) MUSEUR STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE DETAILED DESCRIPTION MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8X10b CONNECTIVITY 1°C, IrDA, LINbus, SCI, SPI, UART/USART		Specifications of Mar 430024331F W2010
DESCRIPTION LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE BYON-OUE Detect/Reset, PWM, WDT PACKAGING PACKAGE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 29-39087-2 MSP430G2433IPW2OR-ND MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430G2x Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CONNECTIVITY 1PC, IrDA, LINbus, SCI, SPI, UART/USART	PART NUMBER	MSP430G2433IPW20R
LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant QUANTITY AVAILABLE 116173 pcs DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSPH30G2H33IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) MUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G20x Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORPROCESSOR MSP430	MANUFACTURER	N/A
QUANTITY AVAILABLE 116173 pcs DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G24331PW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE SIZE 15-Bit CONECTIVITY PC, 1rOA, LINbus, SCI, SPI, UART/USART	DESCRIPTION	IC MCU 16BIT 8KB FLASH 20TSSOP
DATA SHEET VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G24331PW20R-ND OSCILLATOR TYPE OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited!) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE FROCESSOR MSP430 CONNECTIVITY PC, 1rDA, LINbus, SCI, SPI, UART/USART	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
VOLTAGE - SUPPLY (VCC/VDD) 1.8 V ~ 3.6 V SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGING Tape & Reel (TR) PACKAGING 296-39087-2 MSP430G24331PW20R-ND OSCILLATOR TYPE OTHER NAMES 296-39087-2 MSP430G24331PW20R-ND OSCILLATOR TYPE OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE SIZE 16-Bit CORE SIZE 16-Bit	QUANTITY AVAILABLE	116173 pcs
SUPPLIER DEVICE PACKAGE 20-TSSOP SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE BKB (BK x B) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY 1°C, IrDA, LINbus, SCI, SPI, UART/USART	DATA SHEET	
SPEED 16MHz SERIES MSP430G2xx RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGING Tape & Reel (TR) OTHER NAMES 296-39087-2 MISP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE 40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE SIZE 16-Bit CORNECTIVITY 1PC, ITDA, LINBUS, SCI, SPI, UART/USART	VOLTAGE - SUPPLY (VCC/VDD)	1.8 V ~ 3.6 V
SERIES MSP430G2xX RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-9306-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE PROCESSOR MSP430 CONNECTIVITY PROCED TO ALINDUS, SCI, SPI, UART/USART	SUPPLIER DEVICE PACKAGE	20-TSSOP
RAM SIZE 512 x 8 PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGING 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430C2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY 1 LART/USART	SPEED	16MHz
PROGRAM MEMORY TYPE FLASH PROGRAM MEMORY SIZE 8KB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGING OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEAd free / ROHS Compliant EEPROM SIZE DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE CORE PROCESSOR MSP430 CONNECTIVITY IPC, IrDA, LINbus, SCI, SPI, UART/USART	SERIES	MSP430G2xx
PROGRAM MEMORY SIZE BKB (8K x 8) PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEAd free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE PROCESSOR MSP430 CONNECTIVITY 1°C, IrDA, LINbus, SCI, SPI, UART/USART	RAM SIZE	512 x 8
PERIPHERALS Brown-out Detect/Reset, PWM, WDT PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G24331PW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY 1°C, IrDA, LINbus, SCI, SPI, UART/USART	PROGRAM MEMORY TYPE	FLASH
PACKAGING Tape & Reel (TR) PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I LANGE AND	PROGRAM MEMORY SIZE	8KB (8K x 8)
PACKAGE / CASE 20-TSSOP (0.173", 4.40mm Width) OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS LEEAD FREE STATUS / ROHS STATUS EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY 1°C, IrDA, LINbus, SCI, SPI, UART/USART	PERIPHERALS	Brown-out Detect/Reset, PWM, WDT
OTHER NAMES 296-39087-2 MSP430G2433IPW20R-ND OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	PACKAGING	Tape & Reel (TR)
OSCILLATOR TYPE Internal OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS LEEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	PACKAGE / CASE	20-TSSOP (0.173", 4.40mm Width)
OPERATING TEMPERATURE -40°C ~ 85°C (TA) NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	OTHER NAMES	
NUMBER OF I/O 16 MOISTURE SENSITIVITY LEVEL (MSL) 1 (Unlimited) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	OSCILLATOR TYPE	Internal
MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Lead free / RoHS Compliant EEPROM SIZE - DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	OPERATING TEMPERATURE	-40°C ~ 85°C (TA)
LEAD FREE STATUS / ROHS STATUS EEPROM SIZE DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	NUMBER OF I/O	16
EEPROM SIZE DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	MOISTURE SENSITIVITY LEVEL (MSL)	1 (Unlimited)
DETAILED DESCRIPTION MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 MSP430 I²C, IrDA, LINbus, SCI, SPI, UART/USART	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
DATA CONVERTERS A/D 8x10b CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	EEPROM SIZE	-
CORE SIZE 16-Bit CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	DETAILED DESCRIPTION	MSP430 MSP430G2xx Microcontroller IC 16-Bit 16MHz 8KB (8K x 8) FLASH 20-TSSOP
CORE PROCESSOR MSP430 CONNECTIVITY I²C, IrDA, LINbus, SCI, SPI, UART/USART	DATA CONVERTERS	A/D 8x10b
CONNECTIVITY I2C, IrDA, LINbus, SCI, SPI, UART/USART	CORE SIZE	16-Bit
	CORE PROCESSOR	MSP430
BASE PART NUMBER MSP430G2433	CONNECTIVITY	I ² C, IrDA, LINbus, SCI, SPI, UART/USART
	BASE PART NUMBER	MSP430G2433

Related Tags

MSP430G2433IPW20R	MSP430G2433IPW20R Distributor	MSP430G2433IPW20R Supplier
MSP430G2433IPW20R Price	MSP430G2433IPW20R Pictures	MSP430G2433IPW20R Image
MSP430G2433IPW20R PDF Datasheet	MSP430G2433IPW20R Download Datasheet	MSP430G2433IPW20R Datasheet
MSP430G2433IPW20R Stock	Buy MSP430G2433IPW20R	Buy MSP430G2433IPW20R
MSP430G2433IPW20R	Supplier	Distributor

Related Products



RFQ