

Image may be representation. See specifications for product details.

UCC39412D

Part Number:

Manufacturer/Brand:

Product description

RoHs Status
Stock Condition

Datasheets:

Ship From
Shipment Way

UCC39412D

N/A

IC REG BST 3.3V 60MA SYNC 8SOIC

Contains lead / RoHS non-compliant

Hong Kong

5732 pcs stock

DHL/Fedex/TNT/UPS/EMS


REQUEST FOR QUOTATION

PART NUMBER UCC39412D MANUFACTURER N/A DESCRIPTION IC REG BST 3.3V 60MA SYNC 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant QUANTITY AVAILABLE 5732 pcs DATA SHEET VOLTAGE - OUTPUT (MIN/PDXED) VOLTAGE - OUTPUT (MAX) - VOLTAGE - INPUT (MIN) 1.1V VOLTAGE - INPUT (MAX) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER Yes SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGE / CASE 8-SOIC (0.154*, 3.90mm Width) DUTPUT TYPE Fixed OUTPUT TYPE Fixed OPERATING TEMPERATURE 96-2278-5 OPERATING TEMPERATURE 96-2278-5 OPERATING TEMPERATURE 90-2278-5 OPERATING TYPE Surface Mount MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FINCTION Step-Up		Specifications of UCC39412D
MNUIFACTURER N/A DESCRIPTION IC REG BST 3:3V 60MA SYNC 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant QUANTITY AVAILABLE 5732 pcs DATA SHEET ************************************		
DESCRIPTION ICREG BST 3.3V 60MA SYNC 8SOIC LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant QUANTITY AVAILABLE 5732 pcs DATA SHEET VOLTAGE - OUTPUT (MINVFIXED) 3.3V VOLTAGE - FUNDIT (MAX) - VOLTAGE - INPUT (MIN) 1.1V VOLTAGE - INPUT (MIN) 3.2V SOME 3.2V SOME 4.2V SUPPUT (MIN) 3.2V SERIES 4.2V SUPPUT (MIN) 4.2V SUPPUT (MIN) 4.2V SUPPUT (MIN) 5.2V PACKAGE (ASE 4.5OIC (0.154", 3.90mm Width) OUTPUT (MIN) 5.2V OUTPUT (MIN) 5.2V SUPPUT (MIN)	PART NUMBER	UCC39412D
LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant QUANTITY AVAILABLE 5732 pcs DATA SHEET ************************************	MANUFACTURER	N/A
QUANTITY AVAILABLE 5732 pcs DATA SHEET VOLTAGE - OUTPUT (MIN/PIXED) 3.3V VOLTAGE - INPUT (MIN) 1.1V VOLTAGE - INPUT (MIN) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER Yes SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGING Fixed OUTPUT TYPE Fixed OUTPUT TYPE Fixed OUTPUT CONFIGURATION Positive OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width)	DESCRIPTION	IC REG BST 3.3V 60MA SYNC 8SOIC
DATA SHEET VOLTAGE - OUTPUT (MIN/FIXED) 3.3V VOLTAGE - OUTPUT (MAX) - VOLTAGE - INPUT (MIN) 1.1V VOLTAGE - INPUT (MAX) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER Yes SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGING 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT TYPE Postitve OUTPUT CONFIGURATION 90ft We OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm width)	LEAD FREE STATUS / ROHS STATUS	Contains lead / RoHS non-compliant
VOLTAGE - OUTPUT (MINX) - VOLTAGE - INPUT (MIXX) 1.1V VOLTAGE - INPUT (MAXX) 3.2V YOLTAGE - INPUT (MAXX) Boost TOPOLOGY Boost SYNCHRONOUS RECTIFIER YES SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGE/ CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT CONFIGURATION Positive OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant FUNCTION Sep-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width)	QUANTITY AVAILABLE	5732 pcs
VOLTAGE - OUTPUT (MAX) - VOLTAGE - INPUT (MIN) 1.1V VOLTAGE - INPUT (MAX) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER YES SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT CONFIGURATION Positive OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width)	DATA SHEET	
VOLTAGE - INPUT (MIX) 1.1V VOLTAGE - INPUT (MAX) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER Yes SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGING 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT TYPE Fixed OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant FUNCTION Step-Up PREQUENCY - SWITCHING Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURENT - OUTPUT 60mA	VOLTAGE - OUTPUT (MIN/FIXED)	3.3V
VOLTAGE - INPUT (MAX) 3.2V TOPOLOGY Boost SYNCHRONOUS RECTIFIER Yes SUPPLIER DEVICE PACKAGE 8-SOIC SERIES - PACKAGING Tube PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT CONFIGURATION Positive OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FINCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator 1C Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA	VOLTAGE - OUTPUT (MAX)	-
TOPOLOGY SYNCHRONOUS RECTIFIER SYPCHERD EVICE PACKAGE SUPPLIER DEVICE PACKAGE SERIES	VOLTAGE - INPUT (MIN)	1.1V
SYNCHRONOUS RECTIFIER SUPPLIER DEVICE PACKAGE 8-SOIC FACKAGING PACKAGING PACKAGE / CASE 0-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed OUTPUT CONFIGURATION OUTPUT CONFIGURATION OHER NAMES OPERATING TEMPERATURE OPERATING TEMPERATURE MOUNTING TYPE	VOLTAGE - INPUT (MAX)	3.2V
SUPPLIER DEVICE PACKAGE SERIES 7 PACKAGING 7 Tube PACKAGE (ASE 8-SOIC (0.154", 3.90mm Width) 7 Tive 7	TOPOLOGY	Boost
FACKAGING TUBE PACKAGE / CASE 8-SOIC (0.154", 3.90mm Width) OUTPUT TYPE Fixed Fixed OUTPUT CONFIGURATION POSITIVE OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 9C° - 70°C (TI) NUMBER OF OUTPUTS 1 MOUNTING TYPE SURFIGURATION 2 (1 Year) LEAD FREE STATUS / ROHS STATUS COntains lead / ROHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING BOOST SWITCHING BOOST SWITCHING REgulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT (0.154", 3.90mm Width) COME OTHER NAMES SERSITY OUTPUT (0.	SYNCHRONOUS RECTIFIER	Yes
PACKAGING PACKAGE / CASE PACKAGE / C	SUPPLIER DEVICE PACKAGE	8-SOIC
PACKAGE / CASE OUTPUT TYPE Fixed OUTPUT CONFIGURATION POsitive OTHER NAMES OPERATING TEMPERATURE OPERATING TEMPERATURE NUMBER OF OUTPUTS MOUNTING TYPE MOUNTING TYPE MOUNTING TYPE MOUNTING TYPE AUTHOR MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS FUNCTION FREQUENCY - SWITCHING DETAILED DESCRIPTION BOOST SWITCHING REGULATOR FIXED SOME SWITCHING REGULATOR FIXED SAND 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT CURRENT - OUTPUT TO A SOIC (0.154", 3.90mm Width) DETAILED DESCRIPTION BOOST SWITCHING REGULATOR FIXED SAND 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT TO A SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT TO A SOIC (0.154", 3.90mm Width)	SERIES	-
OUTPUT CONFIGURATION Positive OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE SURface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2(1 Year) LEAD FREE STATUS / ROHS STATUS COntains lead / ROHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION BOOST SWItching Regulator 1C Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT (1.50 Miss)	PACKAGING	Tube
OUTPUT CONFIGURATION Positive OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS CONtains lead / ROHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION BOOST Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA 8-SOIC (0.154", 3.90mm Width)	PACKAGE / CASE	8-SOIC (0.154", 3.90mm Width)
OTHER NAMES 296-2278-5 OPERATING TEMPERATURE 0°C ~ 70°C (TJ) NUMBER OF OUTPUTS 1 MOUNTING TYPE SURFACE MOUNT MOISTURE SENSITIVITY LEVEL (MSL) 2 (1 Year) LEAD FREE STATUS / ROHS STATUS Contains lead / ROHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION BOOSt Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA 8-SOIC (0.154", 3.90mm Width)	OUTPUT TYPE	Fixed
OPERATING TEMPERATURE OPERATING TEMPERATURE OPERATING TEMPERATURE OPERATING TEMPERATURE OPERATURE OPERATUR	OUTPUT CONFIGURATION	Positive
NUMBER OF OUTPUTS MOUNTING TYPE Surface Mount MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS FUNCTION FREQUENCY - SWITCHING DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT Surface Mount Current - OUTPUT 1 Surface Mount Contains lead / RoHS non-compliant Contains lead / RoHS non-compliant Step-Up Step-Up Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT	OTHER NAMES	296-2278-5
MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS FUNCTION FREQUENCY - SWITCHING DETAILED DESCRIPTION CURRENT - OUTPUT Surface Mount 2 (1 Year) Contains lead / RoHS non-compliant Contains lead / RoHS non-compliant Step-Up Step-Up Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT	OPERATING TEMPERATURE	0°C ~ 70°C (TJ)
MOISTURE SENSITIVITY LEVEL (MSL) LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT	NUMBER OF OUTPUTS	1
LEAD FREE STATUS / ROHS STATUS Contains lead / RoHS non-compliant FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA	MOUNTING TYPE	Surface Mount
FUNCTION Step-Up FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA	MOISTURE SENSITIVITY LEVEL (MSL)	2 (1 Year)
FREQUENCY - SWITCHING - DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA	LEAD FREE STATUS / ROHS STATUS	Contains lead / RoHS non-compliant
DETAILED DESCRIPTION Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width) CURRENT - OUTPUT 60mA	FUNCTION	Step-Up
CURRENT - OUTPUT 60mA	FREQUENCY - SWITCHING	-
	DETAILED DESCRIPTION	Boost Switching Regulator IC Positive Fixed 3.3V 1 Output 60mA 8-SOIC (0.154", 3.90mm Width)
BASE PART NUMBER UCC39412	CURRENT - OUTPUT	60mA
	BASE PART NUMBER	UCC39412

Related Tags

UCC39412D	UCC39412D Distributor	UCC39412D Supplier
UCC39412D Price	UCC39412D Pictures	UCC39412D Image
UCC39412D PDF Datasheet	UCC39412D Download Datasheet	UCC39412D Datasheet
UCC39412D Stock	Buy UCC39412D	Buy UCC39412D
UCC39412D	Supplier	Distributor

Related Products



rcial Building, 114-118 Lockhart Road, Wan Chai, Hong Kong

Address: 1