

Image may be representation. See specifications for product details.

SN74AHC14PW

Part Number:

Manufacturer/Brand:

Product description

Datasheets:

RoHs Status Stock Condition

Ship From Shipment Way SN74AHC14PW

N/A

IC INVERTER SCHMITT 6CH 14TSSOP

Lead free / RoHS Compliant

218080 pcs stock

Hong Kong

DHL/Fedex/TNT/UPS/EMS

REQUEST FOR QUOTATION

PART NUMBER MANUFACTURER DESCRIPTION LEAD FREE STATUS / ROHS STATUS QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL LOGIC TYPE	SN74AHC14PW N/A IC INVERTER SCHMITT 6CH 14TSSOP Lead free / RoHS Compliant 218080 pcs 2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5 SN74AHC14PW-ND
MANUFACTURER DESCRIPTION LEAD FREE STATUS / ROHS STATUS QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	N/A IC INVERTER SCHMITT 6CH 14TSSOP Lead free / RoHS Compliant 218080 pcs 2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
DESCRIPTION LEAD FREE STATUS / ROHS STATUS QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	IC INVERTER SCHMITT 6CH 14TSSOP Lead free / RoHS Compliant 218080 pcs 2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
LEAD FREE STATUS / ROHS STATUS QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	Lead free / RoHS Compliant 218080 pcs 2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
QUANTITY AVAILABLE DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	218080 pcs 2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
DATA SHEET VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	2 V ~ 5.5 V 14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
VOLTAGE - SUPPLY SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
SUPPLIER DEVICE PACKAGE SERIES PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	14-TSSOP 74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	74AHC Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
PACKAGING PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	Tube 14-TSSOP (0.173", 4.40mm Width) 296-26396-5
PACKAGE / CASE OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	14-TSSOP (0.173", 4.40mm Width) 296-26396-5
OTHER NAMES OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	296-26396-5
OPERATING TEMPERATURE NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	
NUMBER OF INPUTS NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	SN/4ARCI4PW-ND
NUMBER OF CIRCUITS MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	-40°C ~ 125°C
MOUNTING TYPE MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	6
MOISTURE SENSITIVITY LEVEL (MSL) MAX PROPAGATION DELAY @ V, MAX CL	6
MAX PROPAGATION DELAY @ V, MAX CL	Surface Mount
	1 (Unlimited)
LOGIC TYPE	10.6ns @ 5V, 50pF
	Inverter
LOGIC LEVEL - LOW	0.9 V ~ 1.65 V
LOGIC LEVEL - HIGH	2.2 V ~ 3.85 V
LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
FEATURES	Schmitt Trigger
DETAILED DESCRIPTION	Inverter IC 6 Channel Schmitt Trigger 14-TSSOP
CURRENT - QUIESCENT (MAX)	1μΑ
CURRENT - OUTPUT HIGH, LOW	8mA, 8mA
BASE PART NUMBER	74AHC14

Related Tags

SN74AHC14PW	SN74AHC14PW Distributor	SN74AHC14PW Supplier
SN74AHC14PW Price	SN74AHC14PW Pictures	SN74AHC14PW Image
SN74AHC14PW PDF Datasheet	SN74AHC14PW Download Datasheet	SN74AHC14PW Datasheet
SN74AHC14PW Stock	Buy SN74AHC14PW	Buy SN74AHC14PW
SN74AHC14PW	Supplier	Distributor

