



Image may be representation. See specifications for product details.

### **S25FL129P0XNFI011**

Part Number:

Manufacturer/Brand: Product description

Datasheets: RoHs Status

Stock Condition

Ship From Shipment Way S25FL129P0XNFI011

Cypress Semiconductor IC FLASH 128M SPI 104MHZ 8WSON

S25FL129P0XNFI011.pdf

Lead free / RoHS Compliant

32757 pcs stock Hong Kong

DHL/Fedex/TNT/UPS/EMS

**REQUEST FOR QUOTATION** 

PART NUMBER  S25FL129P0XNFT011  MANUFACTURER  Cypress Semiconductor  IC FLASH 128M SPI 104MHz 8WSON  LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  QUANTITY AVAILABLE  32757 pcs  DATA SHEET  S325FL129P0XNFT011.pdf  WRITE CYCLE TIME - WORD, PAGE  Sµs, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGING  TUBE  PACKAGE / CASE  OPERATING TEMPERATURE  40°C ~ 85°C (TA)  MOUNTING TYPE  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  MEMORY INTERFACE  MEMORY INTERFACE  MEMORY FORMAT  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)  CLOCK FREQUENCY  LOAMHZ  LEAD FREE STATUS / ROHS STATUS  LEAD FREE STATUS		Specifications of S25FL129P0XNFI011
MANUFACTURER  Cypress Semiconductor  IC FLASH 128M SPI 104MHZ 8WSON  LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  32757 pcs  DATA SHEET  WRITE CYCLE TIME - WORD, PAGE  SJES, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  MEMORY SIZE  MEMORY SIZE  MEMORY SIZE  MEMORY SIZE  MEMORY STATUS  MEMORY FORMAT  LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  LEAD FREE STATUS / ROHS STATUS  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)		
DESCRIPTION  IC FLASH 128M SPT 104MHZ 8WSON  Lead free / RoHS Compliant  QUANTITY AVAILABLE  32757 pcs  DATA SHEET  WRITE CYCLE TIME - WORD, PAGE  5µs, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  MOUNTING TYPE  MOUNTING TYPE  NOR-Volatile  MEMORY TYPE  NOR-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)  EAST CASH AND REMORD IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)  EAST CASH AND REMORD IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	PART NUMBER	S25FL129P0XNFI011
LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  32757 pcs  DATA SHEET  DATA SHEET  WRITE CYCLE TIME - WORD, PAGE  5µs, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  MOUNTING TYPE  MOUNTING TYPE  Non-Volatile  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memony IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MANUFACTURER	Cypress Semiconductor
QUANTITY AVAILABLE  DATA SHEET  DATA SHEET  DATA SHEET  DATA SHEET  DATA SHEET  WRITE CYCLE TIME - WORD, PAGE  Sup, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  3 (168 Hours)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / ROHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	DESCRIPTION	IC FLASH 128M SPI 104MHZ 8WSON
DATA SHEET  WRITE CYCLE TIME - WORD, PAGE  Sps, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  LEAD fREE STATUS / ROHS STATUS  LEAD fREE STATUS / ROHS STATUS  FLASH - NOR Memory IC 128Mb (15M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
WRITE CYCLE TIME - WORD, PAGE  5µs, 3ms  VOLTAGE - SUPPLY  2.7 V ~ 3.6 V  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  40°C ~ 85°C (TA)  MOUNTING TYPE  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  LEAd free / ROHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	QUANTITY AVAILABLE	32757 pcs
VOLTAGE - SUPPLY  TECHNOLOGY  FLASH - NOR  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  LEAd free / ROHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	DATA SHEET	S25FL129P0XNFI011.pdf
TECHNOLOGY  SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  SERIES  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	WRITE CYCLE TIME - WORD, PAGE	5μs, 3ms
SUPPLIER DEVICE PACKAGE  8-WSON (6x8)  FL-P  PACKAGING  Tube  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  3 (168 Hours)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  LEAD FREE STATUS / ROHS STATUS  LEED GESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	VOLTAGE - SUPPLY	2.7 V ~ 3.6 V
FL-P PACKAGING Tube  PACKAGE / CASE 8-WDFN Exposed Pad  OPERATING TEMPERATURE -40°C ~ 85°C (TA)  MOUNTING TYPE Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL) 3 (168 Hours)  MEMORY TYPE Non-Volatile  MEMORY SIZE 128Mb (16M x 8)  MEMORY INTERFACE SPI - Quad I/O  MEMORY FORMAT FLASH  LEAD FREE STATUS / ROHS STATUS Lead free / ROHS Compliant  DETAILED DESCRIPTION FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	TECHNOLOGY	FLASH - NOR
PACKAGEING  PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  LEAD FREE STATUS / ROHS STATUS  DETAILED DESCRIPTION  Tube  8-WDFN Exposed Pad  8-WDFN Exposed Pad  8-WDFN Exposed Pad  9-Quad For All Sensor For All S	SUPPLIER DEVICE PACKAGE	8-WSON (6x8)
PACKAGE / CASE  8-WDFN Exposed Pad  OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  DETAILED DESCRIPTION  8-WDFN Exposed Pad  8-WDFN Exposed Pad  8-WDFN Exposed Pad  8-WDFN Exposed Pad  9-40°C ~ 85°C (TA)  Surface Mount  1 (188 Hours)  Non-Volatile  Non-Volatile  128Mb (16M x 8)  Edat free / RohS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	SERIES	FL-P
OPERATING TEMPERATURE  -40°C ~ 85°C (TA)  MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  3 (168 Hours)  Non-Volatile  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	PACKAGING	Tube
MOUNTING TYPE  Surface Mount  MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  LEAD FREE STATUS / ROHS STATUS  DETAILED DESCRIPTION  Surface Mount  1 (168 Hours)  Non-Volatile  1 (28Mb (16M x 8)  Lead free / Rohs Compliant  FLASH  PLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	PACKAGE / CASE	8-WDFN Exposed Pad
MOISTURE SENSITIVITY LEVEL (MSL)  MEMORY TYPE  Non-Volatile  MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  3 (168 Hours)  Non-Volatile  128Mb (16M x 8)  Lead I/O  REMORY FORMAT  FLASH  Lead free / RoHS Compliant  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	OPERATING TEMPERATURE	-40°C ~ 85°C (TA)
MEMORY TYPE  Memory Size  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  Non-Volatile  128Mb (16M x 8)  SPI - Quad I/O  Lead free / RoHS Compliant  DETAILED DESCRIPTION	MOUNTING TYPE	Surface Mount
MEMORY SIZE  128Mb (16M x 8)  MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  128Mb (16M x 8)  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MOISTURE SENSITIVITY LEVEL (MSL)	3 (168 Hours)
MEMORY INTERFACE  SPI - Quad I/O  MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MEMORY TYPE	Non-Volatile
MEMORY FORMAT  FLASH  LEAD FREE STATUS / ROHS STATUS  Lead free / RoHS Compliant  DETAILED DESCRIPTION  FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MEMORY SIZE	128Mb (16M x 8)
LEAD FREE STATUS / ROHS STATUS       Lead free / RoHS Compliant         DETAILED DESCRIPTION       FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MEMORY INTERFACE	SPI - Quad I/O
DETAILED DESCRIPTION FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)	MEMORY FORMAT	FLASH
	LEAD FREE STATUS / ROHS STATUS	Lead free / RoHS Compliant
CLOCK FREQUENCY 104MHz	DETAILED DESCRIPTION	FLASH - NOR Memory IC 128Mb (16M x 8) SPI - Quad I/O 104MHz 8-WSON (6x8)
	CLOCK FREQUENCY	104MHz

### **Related Tags**

Cypress Semiconductor S25FL129P0XNFI011	S25FL129P0XNFI011 Distributor	S25FL129P0XNFI011 Supplier
S25FL129P0XNFI011 Price	S25FL129P0XNFI011 Pictures	S25FL129P0XNFI011 Image
S25FL129P0XNFI011 PDF Datasheet	S25FL129P0XNFI011 Download Datasheet	S25FL129P0XNFI011 Datasheet
S25FL129P0XNFI011 Stock	Buy S25FL129P0XNFI011	Buy Cypress Semiconductor S25FL129P0XNFI011
Cypress Semiconductor S25FL129P0XNFI011	Cypress Semiconductor Supplier	Cypress Semiconductor Distributor
Cypress Semiconductor S25FL129P0XNFI011	Cypress Semiconductor Corp S25FL129P0XNFI011	

# **Related Products**



#### **S25FL129P0XNFI011M** Manufacturers: Cypress Semiconductor

Description: IC MEMORY FLASH NOR

In stock: 5914 pcs

**RFQ** 



# **S25FL129P0XNFI001**

Manufacturers: Cypress Semiconductor Description: IC FLASH 128M SPI 104MHZ 8WSON

In stock: 4547 pcs

**RFQ** 



# **S25FL129P0XNFV000**

Manufacturers: Cypress Semiconductor

Description: IC FLASH 128M SPI 104MHZ 8WSON In stock: 3663 pcs

**RFQ** 




## **S25FL129P0XNFI003M**

Manufacturers: Cypress Semiconductor Description: IC MEMORY FLASH NOR

In stock: 3513 pcs

**RFQ** 



# **S25FL129P0XNFI003**

Manufacturers: Cypress Semiconductor Description: IC FLASH 128M SPI 104MHZ 8WSON

In stock: 5065 pcs

**RFQ** 



## **S25FL129P0XNFI013**

Manufacturers: Cypress Semiconductor Description: IC FLASH 128M SPI 104MHZ 8WSON

In stock: 4033 pcs

**RFQ** 



# **S25FL129P0XNFI013M**

Manufacturers: Cypress Semiconductor Description: IC MEMORY FLASH NOR

In stock: 4590 pcs

**RFQ** 



### **S25FL129P0XNFI010M** Manufacturers: Cypress Semiconductor

Description: IC MEMORY FLASH NOR

In stock: 5766 pcs **RFQ** 



#### **S25FL129P0XNFI010** Manufacturers: Cypress Semiconductor

Description: IC FLASH 128M SPI 104MHZ 8USON

**RFQ** 



## **S25FL129P0XNFV001**

Description: IC FLASH 128M SPI 104MHZ 8WSON In stock: 3582 pcs

Manufacturers: Cypress Semiconductor

**RFQ** 



### **S25FL129P0XNFI001M** Manufacturers: Cypress Semiconductor Description: IC MEMORY FLASH NOR

In stock: 4481 pcs

**RFQ** 



### **S25FL129P0XNFV003** Manufacturers: Cypress Semiconductor

Description: IC FLASH 128M SPI 104MHZ 8WSON In stock: 6785 pcs

**RFQ** 

### E-mail: Info@infinity-electronic.com Address: 17F, Gaylord Commercial Building, 114-118 Lockhart Road, Wan Chai, Hong Kong

**Copyright © 2020 Reliable Distributor of Electronic Components** 













